



## Bibliografía

- Amy D. Échographie mammaire. Thécnique d'examen, résultats anatomiques et critères de standard. *Échogr. Med. Ultrasons* 1995; 16 (6): 235-53.
- Anandappa SY, Winstanley JH, Leister S, Green B, Rudland PS, Baraclough R. Comparative expression of fibroblast growth factor mRNAs in benign and malignant breast disease. *Br J Cancer* 1994; 74 (5): 1584-90.
- Axelsson K, Ljung BE, Moore DH 2nd, Thor AD, Chew KL, Edgerton SM, Smith HS, Mayall BH. Tumor angiogenesis as a prognostic assay for invasive ductal breast carcinoma. *J Natl Cancer Inst* 1995; 87 (13): 997-1008.
- Azzopardi JG. Types histologiques des tumors du sein. *Ann Path* 1982; 2: 91-105.
- Bailliere JB, Gregoire R, Orbelin S. Précis d'anatomie atlas 2, 10<sup>a</sup> édition, 132.
- Baratte B, Grumbach Y, Gaud JP, Murat JL. Elements de diagnostic sérologique des cancers du sein de la femme. *F Radiologique* 1986; 26: 99-113.
- Barbareschi M, Weidner N, Gasparini G, Morelli L, Forti S, Eccher C, Fina P, Carlo O, Leonardi E, Mauri F, Bevilacqua P, DallaPalma P. Microvessel quantitation in breast carcinoma. *Appt Immunochim* 1995; 3 (2): 75-84.
- Barth V, Pritchett K. Atlas de patología de la glándula mamaria. Panamericana. Madrid 1991.
- Baum M. The breast screening controversy. *Eur J Cancer* 1996; 32 (1): 9-11.
- Berry M, Clement JF, Daniel G. Interet du couple films - écrans renforçateurs en mammography. *J Radiol Electrol* 1978; 59: 39-44.
- Bland KI. Evolving Technology for ultrasound localization and excision of nonpalpable breast cancer. *J American College Surgeons* 1999; 189 (3): 321-3.
- Bosari S, Lee AK, Delellis RA, Wiley BD, Heatley GJ, Silverman ML. Microvessel quantitation and prognosis in invasive breast carcinoma. *Hum Pathol* 1992; 23 (7): 755-61.
- Brem SS, Gullino PM. Angiogenesis as a marker of pre-neoplastic lesions of the human breast. *Cancer* 1978; 41: 239-48.
- Brombart JC. Breast echography. *J Belge Radiol* 1995; 78 (1): 34-8.
- Brown LF, Berse B, Jackman RW, Tognazzi K, Guidi AJ, Dvorac HF, Senger DR, Connolly JL, Schnitt SJ. Expression of permeability factor (VEGF) in breast cancer. *Hum Pathol* 1995; 26 (1): 86-91.
- Brundred N, Bowcott M, Watts J, Faraguer E, Knox F. Angiogenesis in breast cancer predicts node metastasis and survival. *Br J Surgery* 1994; 81: 768.
- Bruneton JN, Dalfin FY, Caramella E, Roux P, Hery M. Value of ultrasound in localizing the internal mammary vessels. *Europ J Radiol* 1986; 6: 142-4.
- Buchberger W, DeKoekkoek-Doll P, Springer P, Obrist P, Dunser M. Incidental findings on sonography of the breast: clinical significance and diagnostic workup. *AJR* 1999; 173 (4): 921-7.
- Butler RS, Venta LA, Wiley EL, Ellis RL, Dempsey PJ, Rubin E. Sonographic evaluation of infiltrating lobular carcinoma. *AJR* 1999; 172 (2): 325-30.
- Cabanne F, Bonenfant JL. Anatomie Pathologique. Les Presses de L'Université, 1980
- Cariacci, Bulgaresi M, Confortini M, Bonardi L, Maddau C, Matucci N, Ciatto S. Analysis of the causes of false negative cytology reports on breast cancer fine needle aspirates. *Cytopathology* 1995; 6: 156-61.
- Chao TC, Lo YT, Chen SC, Chen MF. Prospective sonographic study of 3093 breast tumors. *Journal of Ultrasound in Medicine* 1999; 18 (5): 363-70; quiz 371-2.
- Charpin C, Devictor B, Bergeret D, Andrac L, Boulat J, Horschowski N, Lavaut MN, Piana L. CD31 Quantitative immunocytochemical assays in breast carcinomas. *Am J Clin Pathol* 1995; 103: 443-8.
- Ciatto S. Detection of breast cancer local recurrences. *Ann Oncol* 1995; 6 Suppl 2: 23-6.
- Colin C, Stassen M, Coibion H. Principles of follow-up for breast fibroadenomas. *J Belge Radiol* 1985; 68: 359-62.

- Coll D, Spence L, Cardeñosa G. Plasmacytoma of the breast: mammographic and sonographic findings. AJR 1999; 173 (4): 1135-6.
- Contesso G, Boddaert A, Lacombe MJ, Bertin F, Petit JY, Rigaud L. Les carcinomas in situ du sein: signes diagnostic et évolution. Actualités Gynécologiques. 14<sup>a</sup> serie. (Mason ed). 1983; 231-42.
- Contesso G, Delarue JC, Mouriesse H, et al. Anatomopathologie du cancer du sein et récepteur hormonaux. Path Biol 1983; 31: 747-54.
- Cornillot M. Intérêt et danger des cytoponctions dans le diagnostic et la surveillance des cancers. Can Med 1980; 5: 1565-72.
- Dilhuydy MH, Barreau B, De Mascarel I. L'échographie mammaire, sa place dans l'strategy diagnostique en sérologie. Cours DU. Échographie en Gynécologie et Obstétrique. Université de Bordeaux II 1995.
- Dilhuydy MH. Le dépistage de masse des cancers du sein: présumé non nocif. Gyn Obstet 1995; 3 (1): 11-8.
- Dock W. Duplex sonography of mammary tumors: a prospective study of 75 patients. J Ultrasound Med 1995; 12 (2): 86-91.
- Dudo VF, Rode G, Shliefer R. Ultrasound in Obstetrics and Gynaecology: Mars 1993; 191-4.
- Dupont WD, Page DL. Risk factors for breast cancer in women with proliferative breast. N Engl J Med 1985; 312: 146-51.
- Engels K, Fox SB, Gatter KC, Harris AL. Distinct angiogenic patterns associated with high grade in-situ ductal carcinoma of the breast. J Pathol 1997; 18: 207-12.
- Engin G, Acunas G, Acunas B. Granulomatosis mastitis: gray-scale and color Doppler sonographic findings. Jour Clinical Ultrasound 1999; 27 (3): 101-6.
- Fawcett DW. Tratado de Histología. Interamericana McGraw-Hill. Madrid 1995.
- Folkman J, Shing Y. Angiogenesis. J Biol Chem 1992; 267 (16): 10931-4.
- Forrage BD. Sonographic needle biopsy of nonpalpable breast lesions. Journal of Clinical Ultrasound 1999; 27 (7): 385-98.
- Fox SB, Leek R, Smith K, Hollyer J, Greenal M, Harris A. Tumor angiogenesis in node negative breast carcinomas. Relationship to epidermal growth factor receptor and survival. Breast Cancer Res Treat 1996; 29: 109-16.
- Fox SB, Leek RD, Weekes MP, White-House RM, Gatter KC, Harris AL. Quantitation and prognostic value of breast cancer angiogenesis: comparison of microvessels density Chalkley count and computer image analysis. J Pathol 1995.
- Fox SB, Stuart N, Smith K, Brunner N, Harris AL. High levels of UPA and PAI-1 are associated with highly angiogenic breast carcinomas. J Pathol 1993; 170 (suppl): 388A.
- Framarino dei Malatesta M, Fiorelli C, Bandiera AF, Veneziano M, Galati GM, Porfiri L. Infiltrating lobular carcinoma of the breast (ILC). Diagnostic and therapeutic aspects. Eur J Gynaecol Oncol 1995; 16 (1): 36-9.
- Gallager H, Martin JE. Early phases in the development of breast cancer. Cancer 1969; 24: 1170-8.
- Gallager H, Martin JE. The study of mammary carcinoma by mammography and whole organ sectional. Cancer 1969; 23: 855-73.
- Gayne-Cain ML, Smith E, Darby M, Given-Wilson R. The use of ultrasound for monitoring breast tumor response to pre-adjvant therapy. Clin Radiol 1995; 50 (10): 681-6.
- Ghate SV, Soo MS, Mengoni PM. Extended field-of-view two-dimensional ultrasonography of the breast: improvement in lesion documentation. Journal of Ultrasound in Medicine 1999; 18 (9): 597-601.
- Gomm JJ, Smith J, Ryall GK, Ballic R, Turnbull L, Coombes RC. Localisation of basic fibroblast growth factor and transforming growth factor in the human mammary gland. Cancer Res 1991; 51: 4685-92.
- Gordon PB, Goldenberg SL. Malignant breast masses detected only by ultra-sound. Cancer 1995; 76: 626-30.
- Gorins A, Lenhardt F, Espie M. Breast cancer during pregnancy. Epidemiology-diagnosis-prognosis. Contracept Fertil Sex 1995; 24 (2): 153-6.
- Goumot PA. Le sein, son image. Vigot 1993; 369-375, 394-406
- Greenleaf JF, Johnson A, Lent AH. Measurement of special distribution of refractive index in tissues by ultrasonic. Ultrasound Med Biol 1978; 3: 327-39.
- Gros CM, Dale G, Gairard B. La compression en échographie mammaire. Senologia 1978; 3: 327-39.
- Grumbach Y, Dieval M, Ducrocq C, Carton FX. Aspects cliniques, thermographiques et mammographiques des enveloppes mammaires. Rev Fr Gynecol Obstet 1981; 76: 529-34.
- Grumbach Y, Murat JL, Baratte B. Techniques de exploration mammaires. Resultats normaux. Feuilles de Radiologie 1985; 25: 240-50.
- Grumbach Y, Vitse M, Dieval M, Boulanger JCh. Les cancers occultes du sein. Possibilités diagnostiques. Gynécologie. Masson. 1982.
- Guinebretiere JM, Le MG, Gavoile A, Bahi J, Contesso G. Angiogenesis and risk of breast cancer in women with fibrocystic disease. J Natl Cancer Inst 1994; 86 (8): 635-6.
- Guis F, Dautry RM, Fernandez H, Frydman R. Aspect échographique du sein normal au cours du cycle menstrual et de la vie génitale. Medicine Foetale et Echographie en Gynécologie 1994; 17: 19-23.
- Guis F, Dutry RM, Broyer M, Fernandez H, Frydman R. Apport de l'écho doppler en sénologie. Gyn Obs 1994; 323: 19-21.
- Guis F, Frydman R. Échographie mammaire. De l'image à la thérapeutique. Mason. Paris 1998.
- Guis F, Frydman R. Échographie mammaire. Masson. Paris 1998.
- Haagensen CD, Larre N, Latte R. Lobular neoplasia (so called lobular carcinoma in situ) of the breast. Cancer 1978; 42: 737-69.



- Hall NR, Fish DE, Hunt N, Goldin RD, Guillou PJ, Lilionson JR. Is the relationship between angiogenesis and metastasis in breast cancer real? *Surg Oncol* 1992; 1 (3): 223-9.
- Han BK, Choe YH, Ko YH, Yang JH, Nam SJ. Benign papillary lesions of the breast: sonographic-pathologic correlation. *Journal of Ultrasound in Medicine* 1999; 18 (3): 217-23.
- Harlow SP, Krag DN. Ames Se. Weaver DI. Intraoperative ultrasound localization to guide surgical excision of nonpalpable breast carcinoma. *J American College Surgeons* 1999; 189 (3): 241-6.
- Hefel L, Schwabegger A, Ninkovic M, Wechselberger G, Moriggl B, Waldenberger P, Anderl H. Internal mammary vessels: anatomical and clinical considerations. *Br J Plast Surg* 1995; 8 (48): 527-32.
- Holz K, Lundt S, Schlieff R. Imaging of breast cancer with contrast media. *IBIU'98 Vienna, Austria* 1998.
- Huber S, Delorme S, Zuna I. Dynamic assessment of contrast medium enhancement in Doppler ultrasound imaging. Current status. *Radiologie* 1998; 38 (5): 390-3.
- Jackson VP. The current role of ultrasonography in breast imaging. *Radiol Clin North Am* 1995; 33 (6): 1161-79.
- Jackson VP. Management of Solid Breast Nodules : What is the Role of Sonography ? *Radiology* 1995; 196 (14-15).
- Jellins J. Combining Imaging and vascularity assessment of breast lesions. *Ultras Med Biol* 1998; 14: 121-30.
- Kchouk H. Effet doppler medecin foetale et echographie en gynecologie 1991; 7: 42-6.
- Khong PI, Ho LW, Chan JH, Leong LI. MR imagin of breast paraffinomas. *AJR* 1999; 173 (4): 929-32.
- Kirch-Carroll RA, Masterson ME, Laval-Jeanjet M. Films ecrans, detecteurs utilises pour mammography. In Ecoiffier J, et al. (Eds): *Precis de techniques specialisees en radiodiagnostiques*. Masson. 1979.
- Kook SH, Park HW, Lee YR, Lee YU, Pae WK, Park YL. Evaluation of solid breast lesions with power Doppler sonography. *Journal of Clinical Ultrasound* 1999; 27 (5): 231-7.
- Kook SH, Park HW, Lee YU, Pae WK, Park YL. Evaluation of solid breast lesions with power Doppler sonography. *Journal of Clinical Ultrasound* 1999; 27 (5): 231-7.
- Kopans DB. La mama en imagen. Marbán Libros S.L. Madrid 1999.
- Kossof G. Contact and water path techniques in the sonographic examination of the breast: Fourth international Congress of the ultrasonic examination of the breast. Sydney, Witton Press: 1985; 117-24.
- Kuhn H, Stahl J. Bildgute und Dosisbedarf in der mammographies. *Röntgenpraxis* 1979; 32: 18-28.
- Lacombe MJ, Lombart-Bosch A, Lecluse Y, Bertin F, Contesso G. Fibroadenoma du sein avec hyperplasie epithelialement atypique a cellules claires. *Ann Path* 1986; 6: 37-44.
- Lamarque JL. Le sein radiodiagnostic clinique. Medsi. Paris. 1981.
- Lamarque JL, Laurent JC, Pujol J. Du bon usage de la cytologie et de la microbiosis à l'agulhe fine en pratique médicale courante. *Le Sein* 1995; 5 (2): 107-14.
- Lamarque JL. L'ideal, l'indispensable, le possible et le radio-diagnostique. *Radiologie J Cepur* 1983; 3: 1-4.
- Le Treut A, Dilhuydy MH, Parsi B. Diagnostique des cancers du sein in Rochet Y, Lagarde C, Bremond A, *Cancers gynécologiques et mammaires. Encyclopédie des cancers*. Flammarion Medicine- sciences. Paris. 1986: 292-321.
- Less JR, Skalac TC, Sevick V, Jan RK. Microvascular architecture in mammary carcinoma: branching patterns and vessels dimensions. *Cancer Res* 1991; 51 (1): 265-73.
- Liberan L, Bonaccio E, Hamele-Bena D, Abramson AF, Cohen MA, Dershaw DD. Bening and malignant phyllodes tumors: mammographic and sonographic findings. *Radiology* 1996; 198: 121-4.
- Madjar H. Color doppler and duplex flow data. *IBIU'98 Vienna* 1998.
- Majar H, Münchs S, Sauerbrei W, Bauer M, Schillinger H. Differential diagnosis of malignant and benign breast tumors by means of CW-Doppler ultrasound. *Radiology* 1990; 30: 193-7.
- Martin JE, Moskowitz M, Milbrath JR. Breast cancers missed by mammography. *AJR* 1979; 132: 737-9.
- Matallana RH. Water immersion ultrasounds as a complement of mammography in evaluating breast disease: Fourth international Congress of the ultrasonic examination of the breast. Witton Press: Sydney. 1985; 229-34.
- McSweeney MB. The role of brast ultrasound in diagnosis an screening: comparison with other imaging modalities: Fourth international Congress of the ultrasonic examination of the breast. Sydney, Witton Press. 1985; 147-55.
- Meden H, Neues KP, Roben-Kampken S, Kuhn W. A clinical, mammographic, sonographic and histologic evaluation of breast cancer. *Int J Gynaecol Obstet* 1995; 48 (2): 193-9.
- Mehta TS, Raza S. Power Doppler sonography of breast cancer: does vascularity , as revealed by power Doppler sonography, correlates with lymph node involvement and lymphatic vascular invasion. *AJR* 1999; 173 (2): 303-7.
- Moskowitz M. Breast cancer: age-specific growth and screening strategies. *Radiology* 1986; 161: 37-41.
- Moulineaux AJ, Goghi L. Cell lysis due to ultrasound gel in fine needle aspirates; an important new artefact in cytology. *Cytopathology* 1995; 5 (1): 41-5.
- Murphy GP, Lawrence W Jr, Lenhard RE. Oncología Clínica. Manual de la American Cancer Society. OPS. Washington 1996.
- Okamoto H, Ogawara T, Arihara F, Kobayashi K, Inoue S, Nagahori K, Yamamoto M, Sekikawa T, Matsumoto Y. Usefulness of ultrasonography combined with conventional phisical examination in mass screening for breast cancer: a retrospective study of Tamanashi Health Care Center from 1989 to 1994. *Jpn J Cancer Res* 1996; 87 (3): 317-23.
- Ottinetti A, Sapino A. Morphometric evaluation of microves-sels surroundling hyperplastic and neoplastic mammary lesions. *Breast Cancer Res Treat* 1988; 11: 241-8.
- Petit JY. Cancer du sein: chirugie diagnostique, curative y reconstructive. McGraw 1991; 6-18.
- Protopapa E, Delides GS, Revesz L. Vascular density and the reponse of breast carcinomas to mastectomy and adjuvant chemotherapy. *Eur J Cancer* 1993; 29: 1391-3.
- Pujol J. Aplications medicales de la microscopie acoustiques. Essai de caracterisation tissulaire de la glande mammaire. Mémoire D.E.R.B.H. Montpellier. 1985.

- Robinson IA, McKee G, Kissin MW. Typing and grading breast carcinoma on fine-needle aspiration: is this clinically useful information? *Diagn Citopathol* 1995; 13: 260-5.
- Rouviere H, Delmas A. Anatomie humaine, tome 2, tranc. 13<sup>a</sup> ed. Masson, 334.
- Rouviere H. Atlas aide memoire d'anatomie, 4<sup>a</sup> edition. Masson, 200-202.
- Rubbert A, Manger B, Lang N, Kalden JR, Platzer E. Functional characterization of tumor-infiltrating lymphocytes, lymph-node lymphocysts and peripheral-blood lymphocytes from patients with breast cancer. *Int J Cancer* 1991; 4 (1): 25-31.
- Sahin A, Sneige N, Singletary E, Alaya A. Tumor angiogenesis detected by factor VIII, immuno-staining in node negative breast carcinoma: a possible predictor of distant metastasis. *Mod Pathol* 1992; 5: 17A.
- Sightler H, Borowsky A, Dupond W, Page D, Jensen R. Evaluation of tumor angiogenesis as a prognostic marker in breast cancer. *Lab Invest* 1994; 22A: 70.
- Simpson J, Ahn C, Battifora H, Esteban J. Vascular surface area as a prognostic indicator in invasive breast carcinoma. *Lab Invest* 1994; 70: 22A.
- Skaane P, Olsen JB, Sager EM, Abdelnoor M, Berger A, Kullmann G, Wolff PA. Variability in the interpretation of ultrasonography in patients with palpable noncalcified breast tumors. *Acta Radiologica* 1999; 40 (2): 169-75.
- Skaane P, Sager EM, Olsen JB, Abdelnoor M, Berger A, Wolff PA, Kullmann G. Diagnostic value of ultrasonography in patients with palpable mammographically noncalcified breast tumors. *Acta Radiologica* 1999; 40 (2): 163-8.
- Skaane P, Sauer T. Ultrasonography of malignant breast neoplasms. Analysis of carcinomas missed as tumor. *Acta Radiologica* 1999; 40 (4): 376-82.
- Skaane P, Skjorten F. Ultrasonographic evaluation of invasive lobular carcinoma. *Acta Radiologica* 1999; 40 (4): 369-75.
- Sohn C, Krunes U, Becker D, Gunter E, Mutze S, Steinkamp W, Muller F, Westkott HP, Gebel M. Possibilities and limits of a new color technique: ultrasound angiography, results of the Heidelberg round table discussion. *Bildgebung* 1995; 62 (1): 53-63.
- Soo MS, Wilford ME, Walsh R, Bentley RC, Kornguth PJ. Papillary carcinoma of the breast: imaging finding. *AJR* 1995; 2: 321-6.
- Spyros F, Martin PM, Hacene K, Romain S, Andrieu C, Ferrero PM, Deytieux S, Le DV, Tubiana HM, Brunet M. Multiparametric pronostic of biological factors in primary breast cancer. *J Natl Cancer Inst* 1992; 84 (16): 1266-72.
- Srivastava A, Webster DJ, Woodcock JP, Shrotriya S, Mansel RE, Hugues LE. Role of Doppler ultrasound flowmetry in the diagnosis of breast lumps. *Br J Surg* 1988; 75 (9): 851-3.
- Sthurmann M, Aronius R, Roeckle C, Schietzel M. Vascularization of breast tumors: use of ultrasound contrast medium in evaluating tumor entity. Preliminary results. *Rofo Fortschr Geb Rontgenstr Neuen Bildgeb Verfahrt* 1998; 169 (4): 360-4.
- Stratton MR, Collins N, Lakhani SR, Sloane JP. Loss of heterozygosity in ductal carcinoma in situ of the breast. *J Pathol* 1995; 175 (2): 195-201.
- Stravos AT, Thickman D, Rapp CL, Dennis MA, Parker SH, Sisney GA. Solid breast nodules: use of sonography to distinguish between benign and malignant lesions. *Radiology* 1995; 196 (1): 123-34.
- Svensson WE. The use of Colour and Spectral Doppler in Breast Examinations-Technique. *IBIU'98*. Viena 1998.
- Tamaki Y, Sato Y, Nakamoto M, Sasama T, Sakita I, Sekimoto M, Ohue M, Tomita N, Tamura S, Monden M. Intraoperative navigation for breast cancer surgery using 3D ultrasound images. *Computer Aided Surgery* 1999; 4 (1): 37-44.
- Teboul M, Halliwell M. *Atlas of Ultrasound and Ductal Echography of the Breast*. Blackwell Science Ltd. Oxford 1995.
- Toi M, Hoshina S, Takayanagi T, Tominaga T. Association of vascular endothelial growth factor expression with tumor angiogenesis and with early relapse in primary breast cancer. *Jpn J Cancer Res* 1994; 85 (10): 1045-9.
- Toi M, Kashitani J, Tominaga T. Tumor angiogenesis is an independent prognostic indicator in primary breast carcinoma. *Int J Cancer* 1993; 55 (3): 371-4.
- Tschammler A, Ott G, Kumpflein P, Schang T, Seelbach-Gobel B, Schwager K. Differentiation of malignant from reactive lymphadenopathy using Doppler flow imaging. *J Ultrasound Med* 1996; 15 (suppl): S76-3.
- Vaidya JS, Thakur MH, Kandelwal KC, Mitra I. Role of ultrasonography to detect axillary lymph node involvement in operable breast cancer. *Eur J Surg Oncol* 1996; 22 (2): 140-3.
- Van Hoef ME, Knox WF, Dhesi SS, Howell A, Schor AM. Assessment of tumor vascularity as a prognostic factor in lymph node negative invasive breast cancer. *Eur J Cancer* 1993; 55 (3): 371-4.
- Visscher D, De Mattia F, Bauman S. Technical factors affecting image morphometric microvessel density counts in breast carcinoma. *Lab Invest* 1994; 70: 168A.
- Visscher DW, Demattia F, Ottosen S, Sarkar FH, Crissman JD. Biologic and clinical significance of basic fibroblast growth factor immunostaining in breast carcinoma. *Mod Pathol* 1995; 8: 665-70.
- Wagai T. Development of screening trial by echography: Fourth International Congress of the ultrasonic examination of the breast. Sydney, Witton Press. 1985; 167-73.
- Weidner N, Folkman J, Pozza F, Bevilacqua P, Allred EN, Moore DH, Meli S, Gasparini G. Tumor angiogenesis: a new significant and independent prognostic indicator in early-stage breast carcinoma. *J Natl Cancer Inst* 1992; 84 (24): 1875-87.
- Weidner N, Gasparini G. Determination of epidermal growth receptor provides additional prognostic information to measuring tumor angiogenesis in breast carcinoma patients. *Breast Cancer Res Treat* 1994; 29: 97-108.
- Weidner N, Semple JP, Welch WR, Folkman J. Tumor angiogenesis and metastasis-correlation in invasive breast carcinoma. *N Engl J Med* 1991; 324 (1): 1-8.
- Winehouse J, Douek M, Lees W. ROC curve analysis in the evaluation of contrast-enhanced color Doppler US. *Radiology* 1999; 212 (3): 911-2.
- Yang WT, Ahuja A, Tang A, Suen M, King W, Metreweli C. Ultrasonographic demonstration of normal axillary lymph nodes: a learning curve. *J Ultrasound Med* 1995; 14 (11): 823-7.